

B) IN THE CLAIMS

1. (Currently Amended) A cleaning spray nozzle which comprises:
a nozzle body including an inlet for receiving water~~[[;]]~~;
a trigger valve operable to infinitely vary the flow of water through the water flow continuum from a fully open continuum to a fully closed continuum;
a toggle valve downstream of the trigger valve, the toggle valve being operable to direct flow between a clean water flow channel and a chemical dispensing flow channel;
an outlet for discharging either clean water from the clean water flow channel or clean water and a chemical from the chemical dispensing flow channel downstream of the toggle valve and a water flow continuum between the inlet and the outlet~~[[;]]~~;
and
a cartridge releasably secured to a portion of the nozzle body, ~~for~~the cartridge containing a chemical therewithin, the cartridge having an outlet that permits the flow of the chemical; into the chemical dispensing flow channel.~~[[;]]~~
~~means for selectively dispensing the chemical into water flowing through the nozzle body, and~~
~~a mechanism for actuating the dispensing means, whereby the dispensing mechanism is used to selectively dispense the chemical from the cartridge into the water flow.~~
2. (Original) The spray nozzle of claim 1 wherein the cartridge is releasably attached at the inlet of the nozzle body.
3. (Cancelled)
4. (Original) The spray nozzle of claim 1 wherein the cartridge is releasably attached at the outlet of the nozzle body.

5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Original) The spray nozzle of claim 1 wherein the cartridge is formed from a plastic material.
9. (Original) The spray nozzle of claim 1 wherein the cartridge is generally translucent such that the contents of the cartridge are visible to a user.
10. (Original) The spray nozzle of claim 1 wherein the cartridge is adapted to hold a chemical in liquid, solid, granule, or other form within the cartridge.
11. (Currently Amended) A spray nozzle for optionally dispensing an amount of a chemical into a water stream flowing from the spray nozzle ~~which comprises~~ comprising:
a nozzle body having an inlet end, an outlet end and a conduit therethrough; ~~[[,]]~~ and
a trigger valve operating mechanism disposed between the inlet end and the outlet end,
the trigger valve being operable to control the flow of water between the inlet end
and the outlet end;
a toggle valve, the toggle valve being operable to direct water to flow through a clean
water flow channel or a chemical dispensing water flow channel and
a chemical containing cartridge attached to the nozzle body, the cartridge being operable
to dispense water into the chemical dispensing water flow channel. ~~[[,]]~~
~~a mechanism for delivering the chemical contained within the cartridge to a stream of~~
~~water flowing through the spray nozzle, and~~
~~means for operating the valve operating mechanism to dispense the stream of water from~~
~~the nozzle body, whereby the user may selectively dispense water only or water~~

~~combined with the chemical from the spray nozzle.~~

12. (Currently Amended) The spray nozzle of claim 11 including means for ~~permitting the adjusting the~~ adjustment of the chemical containing cartridge dispensing mechanism to control the amount of chemical to be dispensed ~~prior to actuating the valve operating mechanism.~~

13. (Original) The spray nozzle of claim 11 wherein the cartridge is releasably attached to the inlet end of the nozzle body.

14. (Cancelled)

15. (Currently Amended) The spray nozzle of claim 11 wherein the cartridge is releasably attached to the outlet end of the nozzle body.

16. (Cancelled)

17. (Cancelled)

18. (Currently Amended) The spray nozzle of claim 11 wherein the cartridge ~~and dispensing mechanism are~~ is configured within the spray nozzle and functionally disposed between the inlet and the outlet of the spray nozzle.

19. (Original) The spray nozzle of claim 11 wherein the cartridge is formed from a plastic material.

20. (Original) The spray nozzle of claim 11 wherein the cartridge is generally translucent such that the contents of the cartridge are visible to a user.

21. (Original) The spray nozzle of claim 11 wherein the cartridge is adapted to hold a chemical in liquid, solid, granule, powder, or other form within the cartridge.